

IEQ SCHOOL DATA BASE									
School Name: Clarksville Middle School					Principal: Dr. Joelle Miller				
DATE: 12/9/16									
IEQ Team Leader: Peter M Gaylord					IEQ System Leader: Greg Maciulla				
8. Ceiling tiles present; no broken, stained, or painted	AP office, 11, 12, 27, 23A, 21, 23, 16, 12, 13, 2, 34, 5, 7, 8, 32, 55, 53, T6, Café, Tech 43, Tech Storage, Hall C3, Health rm, Kitchen, 6th grd Hall by courtyard and Shepperd, Media, AV Storage Rm, Weightroom, Pete's office, Joelle's office, 6th Grade Mech/Storage Closet,	AP office-stained tile; T6-gaps in ceiling tile; 53-(storage room)- gaps around ceiling tiles	X						
9. Walls show no signs of water damage/mildew/ paint irregularities	11, Stage, 6th Grd Hall (above locker 1093)	11- under window; Stage - chipped paint on ceiling; 6th Grd Hall (above locker 1093)		X	WOID: 15672 (locker); WOID: 15671(H2 O); WOID:	12/20/16			
10. No condensation or other evidence of humidity on ceilings, walls, doors, etc.									
11. Limited use of non-issued HCPSS furniture and appliances	AP Office-lamp; Front Office, Media, Staff Lounge, 14A, 17, 19A, 24, 29, 43, 62, 64, 9, 7, 3, 6, 1, 54, Custodial office	Front office-Keurig; Media- Lamp; Staff Lounge-Toaster, chemicals; 14A-coffee maker; 17- george foreman grill, refrigerator,microwace; 19A-microwave; 24-microwave,toaster,refrigerator; 29- Portable Heater; 43-toaster, refrigerator, microwave; 62- cloth chair; 64-cloth chair; 9-Rugs, fridge; 7-two micorwaves and fridge; 3-fridge and microwave; 6-Chinese Lanterns; 1- Heater, coffee machine, fridge, plants; 54-personal fan, lamp; Music Office- micorwave, coffee; custodial office-microwave, coffee, refrigerator;	X						
12. No excessive fabric materials, stuffed animals, beanbags, pillows, etc.	9, Boys Lockerroom office, Stage, T4, 64,	9-Stuffed animal; Boys Lockerroom office - couch; Stage-curtains falling; T4-fake flowers; 64-remove cubes and fabric chair	X						
13. No structural or physical gaps around exit doors	Media,Gym, Cafe, Kitchen, 15, 26, 27, 34	vestible across from media center;Gym-see light around doors, Cafe-see light at door; Kitchen-Door going out in kitchen light;15-caulk around window;26-books stored on floor27-caulk around ceiling pipes 34 back door weather stripping	X						
14. No improperly stored materials/chemicals	Mail room, Electrical room, Kitchen, 3, 6, 9, 14A, 15, 24, 42, 53, 54, Health, 6th grade hall, 62, 63, 10, Custodial office, S13 storage,	Kitchen-2 plants in storage room, bleach;Kitchen Storage-labels, warmers for food; Mail room - boxes on top of cabinets;Electrical Room-empty out clutter;3-items above cabinets; 6-boxes in back; 9-Cleaners;10-boxes on shelves moved down; 14A Household cleaners; 15-chemicals not labeled; 24-Household cleaners; 42-candle on desk, flowers, gain laundry; 53-move everything down 18 inches; 54-goo gone cleaner; Health - llysol sprays in storage; 6th grade hall-18" from ceiling; 62-move panels; 63-move cabinet; Custodial office - bleach; S13 Storage-remove storage on top shelf;	X						

IEQ SCHOOL DATA BASE

School Name: Clarksville Middle School		Principal: Dr. Joelle Miller								
DATE: 12/9/16										
IEQ Team Leader: Peter M Gaylord		IEQ System Leader: Greg Maciulla								
29. No large insect populations (wasps, bees)										
30. Awnings secure, no leaks										
31. Shrubbery not near vents or windows which can										
32. Trees do not provide access to roof										
33. No broken windows										
34. Windows are closed										
35. Exterior doors are closed										
36. No pools of standing/stagnant water										
37. Exterior veneer intact										
38. Outside lights working and intact										
39. Gutters and downspouts clear/working										
40. No stains from roof on outside walls										
41. Bins from garbage and recycling clearly marked										
42. Hard surfaces (sidewalks, etc.) cleared of any turf application										
43. Proper maintenance of planted beds and other vegetation										
44. Landscaping and turf look healthy and disease free										
COMMENTS:										